

BARE ROOT SEEDLINGS 2023

Drakes Crossing Nursery The Nation's Trusted Supplier of Conifer Seedlings for 50+ years.

Drakes Crossing has been the trusted supplier of Christmas tree and conifer seedlings to customers across the United States. Being family-owned and operated guarantees dependable, consistent quality from year to year. Using superior seed sources from our nursery and growing at an elevation closer to the tree's native habitat area ensures healthy, beautiful trees. Call today and put our experience and dedication to work for you

Availability online at: https://www.drakescrossingnursery.com/availability.html

OR scan QR Code:



	Age	ડાંદહ	Price per 100	Price per 1000
A <i>bies balsamea</i> – Balsam Fir	<u>:</u>			
Native to the Northeast Coast of the	United States and Car	nada. Suitable for Christmas	trees. Excellent understock for Abies	s varieties.
Cooks Blue	3-0	4-8"	\$145	\$730
Wisconsin	3-0	4-8"	\$135	\$ 690
Abies balsamea var. phanero Native to the East Coast. Good as a C understock for Abies varieties.			er bud break and denser foliage. Tol	erant of wet soils. Cold Hardy. Great
Rockis Seed Orchard	2-0	3-8"	\$140	\$710
Rockis Seed Orchard	3-0	9-12"	\$150	\$760
Rockis Seed Orchard	2-1	6-12"	\$145	\$740
<u>Abies bornmuerlleriana – Τυ</u> Similar to Nordmann fir. Suitable for		ve to Turkey.		
Bolu-Kokez, Turkey	3-0	4-8"	\$145	\$740
Kongsore	3-0	4-8"	\$155	\$ 760
	2-0	5-10	\$140	\$710
Swift Silver Abies firma – Momi Fir: Heat tolerant understock, which allow	ws those in the Southe	,	•	, ,
Cibola Swift Silver Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b Japan	ws those in the Southe	east to grow Abies species. /	Able to withstand Southern heat, hea	Ivy soils with poor drainage. Resistan
Swift Silver Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b Japan	ws those in the Southe oreak bud in early sprir	east to grow Abies species. <i>I</i> Ig and is subject to late frost	Able to withstand Southern heat, hea damage. Not a cold hardy understo	ivy soils with poor drainage. Resistan ck.
Swift Silver Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b Japan Abies fraseri – Fraser Fir: Native to Southern Appalachians. Se	ws those in the Southe oreak bud in early sprir 2-0 ed from the Roan Mou	east to grow Abies species. Ag and is subject to late frost 2-4" untains in North Carolina at 6	Able to withstand Southern heat, hea damage. Not a cold hardy understo \$190	ovy soils with poor drainage. Resistan ck. \$960
Swift Silver Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b	ws those in the Southe oreak bud in early sprir 2-0 ed from the Roan Mou	east to grow Abies species. Ag and is subject to late frost 2-4" untains in North Carolina at 6	Able to withstand Southern heat, hea damage. Not a cold hardy understo \$190	ovy soils with poor drainage. Resistan ck. \$960
Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b Japan Abies fraseri – Fraser Fir: Native to Southern Appalachians. Se silvery white on the underside of the Roan Mountain Abies grandis – Grand Fir:	ws those in the Southe break bud in early sprin 2-0 ed from the Roan Moneedles. Symmetrical 3-0	east to grow Abies species. Ag and is subject to late frost 2-4" untains in North Carolina at 6. 6-12"	Able to withstand Southern heat, head damage. Not a cold hardy understood \$190 elevations around 6,000'. Suitable for \$140	svy soils with poor drainage. Resistanck. \$960 Christmas trees. Deep green with
Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b Japan Abies fraseri – Fraser Fir: Native to Southern Appalachians. Se silvery white on the underside of the	ws those in the Southe break bud in early sprin 2-0 ed from the Roan Moneedles. Symmetrical 3-0	east to grow Abies species. Ag and is subject to late frost 2-4" untains in North Carolina at 6. 6-12"	Able to withstand Southern heat, head damage. Not a cold hardy understood \$190 elevations around 6,000'. Suitable for \$140	svy soils with poor drainage. Resistanck. \$960 Christmas trees. Deep green with
Abies firma – Momi Fir: Heat tolerant understock, which allow to phytophthora root rot. Tends to b Japan Abies fraseri – Fraser Fir: Native to Southern Appalachians. Se silvery white on the underside of the Roan Mountain Abies grandis – Grand Fir: From Clearwater River Drainage regin	ws those in the Southereak bud in early spring 2-0 ed from the Roan Moreneedles. Symmetrical 3-0 on of Idaho. Excellent 2-0	east to grow Abies species. And and is subject to late frost 2-4" Untains in North Carolina at 6 6-12" for Christmas trees. Good gr	Able to withstand Southern heat, head damage. Not a cold hardy understored sample. Suitable for sample samp	svy soils with poor drainage. Resistanck. \$960 Christmas trees. Deep green with \$700 les. \$640

Species- Common Name Age size Price per 100 Pr	rice per 1000
--	---------------

Abies lasiocarpa – Subalpine Fir:

Narrow crown with dense short branches that droop downward. Gray greenish to light bluish green needles. Hardy high elevation conifer, close in look to the balsam fir. Suitable for Christmas trees or landscape ornamental.

675 Cascade Range, OR 4-8" \$145 \$720

Abies magnifica – Red Fir:

Native to Sierra Nevada Mountains. Good Christmas tree. Stately tree with short branches and perfect symmetry. Needles vary from green to silvery blue-green. Referred to as "Silver Tip Fir" in California markets.

526-70 - Silver Fork, CA 6-12" \$125 \$640

Abies magnifica var. shastensis – Shasta Fir:

Native to Southern Oregon and Shasta Mountain. Good Christmas tree. Similar to Red Fir. Slower in growth than Noble Fir.

501-50 - Huckleberry Mt., OR 6-12" \$640 2-0 \$125

Abies nordmanniana - Nordmann Fir:

Native to Turkey and Russia/Georgia. Suitable for Christmas trees. Symmetrical habit, dark green flat needles.

Ambrolauri- Tlugi	3-0	4-8"	\$150	\$740
Borjomi	3-0	4-8"	\$150	\$740

Abies procera – Noble Fir:

Native to Oregon and Washington Cascades and Coast Ranges. The 'Cadillac' of Christmas trees. Good green color, occasionally bluish. Branch arrangement in even whorls.

053 – OR, Coast Range, West	2-0	6-12"	\$140	\$700
251 – OR, Coast Range, East	2-0	6-12"	\$140	\$700
252 – Mary's Peak	2-0	6-12"	\$130	\$650
440 –Mt. Saint Helens	2-0	6-12"	\$130	\$650
452 – OR, Clackamas River drainage, North	2-0	6-12"	\$130	\$650
BLM 51-17-6	2-0	6-12"	\$155	\$770
Elite O.R. – Orchard Run from PNWCTA Orchard	2-0	6-12"	\$150	\$740
Elite RF-1. from PNWCTA Orchard	2-0	6-12"	\$150	\$740
Elite RF-8. from PNWCTA Orchard	2-0	6-12"	\$150	\$740
Elite RF-10 from PNWCTA Orchard	2-0	6-12"	\$150	\$740
Elite RF-15 from PNWCTA Orchard	2-0	6-12"	\$150	\$740

PNWCTA- ELITE SEEDLINGS- The seed originates from a collection taken from the Riley Peak/Fanno Ridge (R/F) area in the Oregon Coast Range known as the o53 seed zone. The 053 zone has been identified as the best seed collection area to produce the desirable characteristics for growing Noble Fir Christmas trees. In 1975, volunteers from the Pacific Northwest Christmas Tree Association (PNWCTA) searched out the best-looking trees in the o53 zone. Trees were numbered and growing traits were tested. Established orchards used the trees that showed the growing traits necessary to develop a Noble Fir that is uniform, lush green and matures into a beautiful Christmas tree. These seedlings are the result of decades of testing, cloning, and cross pollinating by PNWCTA volunteers in conjunction with OSU and WSU experts. One aspect studied through the orchard project was a condition called current season needle necrosis (CSNN). It is not fully understood what causes CSNN, but seems to be a mineral deficiency in the needles and is more prevalent in trees grown in lower elevations. Some of these numbered sources have shown stronger resistance than others to CSNN. R/F - Orchard run - Mixed collections, varying characteristics, would be a great choice for farmers with multiple fields with different elevations and soil conditions. More uniform and consistent than 053. The PNWCTA has other RF numbered sources, but these are the only ones we will be carrying this season. One thing to keep in mind is that these are all from the 053 seed zone area, so if you have been a dedicated 053 grower these trees will fit your style.

·	Age	siee	Price per 100	Price per 1000
Acer circinatum – Vine Maple Grows natively in the Cascades of Ord		n as well as lower elevations	. Usually multi-stemmed. Small tree	e - grows to 25'. Good fall color.
Cascade Foothills	1-0	1-3"	\$100	\$390
		3-6"	\$110	\$460
		6-12"	\$120	\$580
		12-18"	\$155	\$770
<u>Calocedrus decurrens</u> – Incer Native to Southern Oregon and North		arrow tree. Good ornamenta	l tree, suitable for border or barriers,	, also used as Christmas greens.
Incense	P+1	5-10"	\$140	\$700
Cedrus deodara – Deodar Ce	dar:			
Understock for Cedar varieties. Also u	sed as an ornamenta	l and for live Christmas trees		
India	1-0	3-6"	\$120	\$600
India	2-0	6-12"	\$130	\$660
Fagus sylvatica – European E Understock for Fagus varieties.	Beech:			
Europe	1-0	3-6"	\$180	\$900
Ginkgo biloba – Maidenhair 1 Deciduous shade tree with leathery le		ce yellow. Primarily used as	an understock for other Ginkgo culti	vars.
		ce yellow. Primarily used as	an understock for other Ginkgo culti	vars. \$ 960
Deciduous shade tree with leathery le	aves. Fall color is a ni 1-0 - Japanese Larch	3-6"	\$190	
Deciduous shade tree with leathery le Domestic Source Larix leptolepis (kaempferi) - Deciduous conifer. Soft blue-green in	aves. Fall color is a ni 1-0 - Japanese Larch	3-6"	\$190	
Deciduous shade tree with leathery le Domestic Source Larix leptolepis (kaempferi) -	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill	3-6" 1: iant yellow in fall. Good und	\$190 erstock for Larix varieties.	\$ 960
Deciduous shade tree with leathery leader to be a shade tree with leather tree wit	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill 1-0 2-0 n Grape:	3-6" 1: iant yellow in fall. Good und 2-4" 12-18"	\$190 erstock for Larix varieties. \$125 \$130	\$960 \$620
Deciduous shade tree with leathery leader to be a considered by the state of the st	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill 1-0 2-0 n Grape:	3-6" 1: iant yellow in fall. Good und 2-4" 12-18"	\$190 erstock for Larix varieties. \$125 \$130	\$960 \$620
Deciduous shade tree with leathery leaders because Source Larix leptolepis (kaempferi) - Deciduous conifer. Soft blue-green in Japan Japan Mahonia aquifolium - Orego Northwest native. Good green color was shaded to be shaded	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill 1-0 2-0 n Grape: vith yellow flowers fo 1-0 Mahonia:	3-6" 1: iant yellow in fall. Good und 2-4" 12-18" Illowed by blue-black edible l	\$190 erstock for Larix varieties. \$125 \$130 erries.	\$960 \$620 \$640
Deciduous shade tree with leathery leader to be considered by the constitution of the	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill 1-0 2-0 n Grape: vith yellow flowers fo 1-0 Mahonia:	3-6" 1: iant yellow in fall. Good und 2-4" 12-18" Illowed by blue-black edible l	\$190 erstock for Larix varieties. \$125 \$130 erries.	\$960 \$620 \$640
Deciduous shade tree with leathery leader Domestic Source Larix leptolepis (kaempferi) - Deciduous conifer. Soft blue-green in Japan Japan Mahonia aquifolium - Orego Northwest native. Good green color w Willamette Valley, OR Mahonia nervosα - Longleaf Northwest native. Low shrub with leader	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill 1-0 2-0 n Grape: vith yellow flowers fo 1-0 Mahonia: thery leaves. Plants r 1-0	3-6" 1: iant yellow in fall. Good und 2-4" 12-18" Illowed by blue-black edible l 2-4" emain compact. Yellow flow 2-4"	\$190 erstock for Larix varieties. \$125 \$130 erries. \$130 ers and edible berries.	\$620 \$640 \$640
Deciduous shade tree with leathery leader Domestic Source Larix leptolepis (kaempferi) - Deciduous conifer. Soft blue-green in Japan Japan Japan Mahonia aquifolium - Orego Northwest native. Good green color w Willamette Valley, OR Mahonia nervosa - Longleaf Northwest native. Low shrub with leader Puget Sound, WA Mahonia repens - Creeping Mahonia repe	aves. Fall color is a ni 1-0 - Japanese Larch the summer and brill 1-0 2-0 n Grape: vith yellow flowers fo 1-0 Mahonia: thery leaves. Plants r 1-0	3-6" 1: iant yellow in fall. Good und 2-4" 12-18" Illowed by blue-black edible l 2-4" emain compact. Yellow flow 2-4"	\$190 erstock for Larix varieties. \$125 \$130 erries. \$130 ers and edible berries.	\$620 \$640 \$640

Species- Common Name	Age	siec	Price per 100	Price per 1000			
Metasequoia glyptostroboides – Dawn Redwood: A fast-growing, endangered deciduous conifer. Native to China. Primarily used as an understock for Metasequoia cultivars. Makes a nice plant when grown on its own.							
China China	1-0 2-0	2-4" 8-16"	\$140 \$150	\$68o \$750			
<u>Piceα abies – Norway Spruce:</u> Native to Northern Europe. Suitable for Christmas trees. Vigorous root system. Excellent understock for all Spruce varieties.							
Europe	2-0	5-12"	\$125	\$ 630			
Pinus glauca var. densata – Bla Naturally symmetrical cone-shape with a matures to blue green.	•	an the traditional white spruc	e. This makes it very resistant to v	vinter. New bright green foliage			
Black Hills N.F.	3-0	6-12"	\$140	\$700			
Picea pungens – Colorado Spru Native to Southern Mountain states. Ex predominantly blue color in high percen	cellent specimen tree. Ve	ery hardy in hot or cold climat	es. Ranging from a deep blue to	green. Seed chosen from areas of			
Apache N.F., AZ	2-0	4-8"	\$125	\$ 630			
Kaibab N.F., AZ San Juan N.F. (Dolores Dist.), CO	2-0 2-0	4-8" 4-8"	\$125 \$125	\$630 \$630			
* San Juan N.F. (Dolores Dist.), CO is				. 3			
Pinus aristata – Bristlecone Pi Native of Southwestern Mountains. Ver		n tree. White sap drops on neo	edles. Can live up to 1500 years.				
Carson N.F., NM	3-0	3-8"	\$140	\$700			
Pinus contorta var. contorta – Shore Pine: From Northern Oregon. Used as a native for landscaping in drier locations. Suitable as understock for two and three needle pines.							
Lincoln City, OR	2-0	8-12"	\$125	\$ 630			
Pinus contorta var. murrayana – Lodgepole Pine: From Central Oregon coast. Suitable for sheared Christmas trees. Used as understock for two and three needle pines.							
Crescent, OR	2-0	6-12"	\$125	\$ 630			
<u>Pinus jeffreyi</u> – <u>Jeffrey Pine:</u> From Central Oregon. Used as a native for landscaping in drier locations. Suitable as an understock for two and three needle pines.							
Southern Oregon	2-0	4-8"	\$145	\$720			
Pinus leucodermis (heldreichii) – Bosnian Pine: Slow growing, dark green, similar in appearance to Austrian Pine. Very hardy. Used mostly as an ornamental.							
Germany	3-0	4-8"	\$140	\$700			

Species- Common Name	Age	siee	Price per 100	Price per 1000		
Pinus monticolα – Western White Pine:						
Grows well in the Western Cascades, Ida	aho and Montana. Blister I	Rust Resistant (BRR) strains.				
Seed Orchard - BRR	3-0	5-10"	\$155	\$770		
Pinus mugo var. mughus – Mug From lower slopes of Tyrolean Alps. Dw						
Tyrolean Alps (5-7000')	2-0	2-4"	\$125	\$630		
Pinus mugo var. pumilio – Dwa	arf Mugo Pine:					
From higher slopes of Tyrolean Alps ab		the Mugo Pines.				
Tyrolean Alps (7,000'+)	2-0	2-4"	\$125	\$ 630		
<u>Pinus nigra</u> – Austrian Pine: From Europe. Good specimen tree. Very	y hardy and most popular	of upright pines.				
Slovakia	2-0	4-8"	\$125	\$ 630		
Pinus ponderosα – Ponderosa Native to Eastern deserts of Oregon and green needles. Cones used for ornamen	d Washington. Willamette tal purposes.					
675 – Central Oregon Willamette Valley Seed Orchard	2-0 2-0	6-12" 8-16"	\$125 \$155	\$630 \$770		
Pinus strobiformis – Southwestern Pine: Native to the Southwest. Good understock for five needle varieties. Long thick blue needles. Alkaline soil tolerant. Lincoln N.F., NM 2-0 3-6" \$135 \$670						
Pinus strobus – Eastern White	Pino					
Native to North and Mid-East Coast star		Christmas trees. Number one p	preference for five-needle under	stock.		
Lake States	3-0	6-12"	\$140	\$700		
<u>Pinus sylvestris – Scotch Pine:</u> Good for Christmas trees, methods of shearing and harvesting dictates personal choice. Also good hardy understock.						
English –England/Scotland Border	2-0	6-12"	\$125	\$ 630		
Pinus thunbergii – Japanese Black Pine:						
Native to Japan and South Korea. Can be used as an ornamental tree, pruned into Poodles or Pom Poms or as an alternate understock for either Bonsai grafts or other pines.						
Japan	2-0	4-8"	\$135	\$68o		

Species- Common Name	Age	Siec	Price per 100	Price per 1000
<u>Pseudotsuga menziesii – Dougl</u>	as-Fir:			
Number one tree for plantation Christma	s trees. Also used	for reforesting or establishing	g wood or timber lots. Several sources	to choose from.
041 – Wahkiakum County WA (Coastal)	2-0	8-16"	\$135	\$66o
051 – Tillamook County, OR (Coastal)	2-0	8-16"	\$135	\$660
o62- Florence, OR	2-0	8-16"	\$135	\$66o
251 — OR Coast Range East	2-0	8-16"	\$135	\$66o
252 — Corvallis, Oregon	2-0	8-16"	\$135	\$66o
262 — Cascade Foothills (Eugene OR)	2-0	8-16"	\$135	\$66o
Heater Seed Orchard C/T	2-0	10-18"	\$150	\$740
Lincoln N.F Cold/Hardy	2-0	5-10"	\$150	\$740
Willamette Valley <u>High Gain</u>	2-0	5-10"	\$160	\$800
Willamette Valley Mid Gain	2-0	5-10"	\$150	\$740
PNWCTA OR	2-0	8-16"	\$150	\$740
Taxodium distichum – Bald Cyp A deciduous conifer that grows in very w		the Southeast and Gulf Coas	st. Primarily used as an understock for	Taxodium cultivars.
Illinois	1-0	4-8"	\$130	\$640
Illinois	2-0	12-18"	\$140	\$700
Thuja occidentalis – American Used as understock for Chamaecyparis of		r in landscapes as a screening	tree.	
Domestic Source	2-0	3-6"	\$120	\$600
Thuja orientalis – Oriental Arb Used as understock for Chamaecyparis r		eties. Also known as Platyclad	us orientalis.	
China	2-0	4-8"	\$135	\$670
China	2-0	8-12"	\$140	\$700
Tsuga mertensiana – Mountair Northwest native. High elevation. Quite		very dense, dark green to blu	ue-green color.	
McKenzie Pass, OR	3-0	3-6"	\$150	\$760

DIRECTIONS

FROM SOUTH - Off I-5 at Highway 22 exit - East to Highway 214 - follow through Silver Falls Park to Highway mile marker #31. Go beyond #31 - 200 feet to curve - go straight to nursery on right.

FROM NORTH - Exit I-205 at Park Place exit. Go South on 213 to Silverton. Continue onto Highway 214, 10 miles - turn left 1/2 mile past Silver Falls Country store.

Exit I-5 at Woodburn onto Highway 214 - continue on 214 through Woodburn, Mt. Angel, Silverton. Continue 10 miles - turn left 1/2 mile past grocery store. Silver Falls Tour Route.

Please do not use the address on cover for GPS purposes. Use: 500 Silver Falls Dr. SE, Silverton, OR 97381, as this seems to direct more efficiently on GPS systems.



TERMS

SHORTAGES OF ACKNOWLEDGED NURSERY STOCK In the event of destruction or injury of ordered nursery stock (here in after referred to as Stock) due to fire, weather condition or error in field inventory, Seller retains the right to prorate all or a portion of Seller's Stock between existing orders at Seller's discretion.

RIGHT OF INSPECTION Buyer shall have the right to inspect the goods before paying for or accepting them.

RISK OF LOSS Risk of loss shall pass to the Buyer upon receipt of the Stock to Buyer or Buyer's carrier (i.e. FedEx) at Seller's address.

DISCLAIMER OF WARRANTIES Seller warrants that the Stock is as described herein or in Seller's catalog, but NO OTHER WARRANTY, EXPRESS OR IMPLIED INCLUDING ANY WARRANTY OF MERCHANT-ABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE IS MADE IN RESPECT TO THE STOCK. If any sample is shown to buyer, such sample was used merely to illustrate the general type of stock.

STOCK AS COLLATERAL Buyer hereby grants to Seller a security interest in the stock described herein to secure payments.

REMEDIES Buyer and Seller shall have all remedies afforded each by the Uniform Commercial Code.

CLAIMS Claims must be filed within seven (7) days after receipt of shipment or shipment will be deemed satisfactory. <u>Buyer agrees to file claims against the carrier for any stock damaged in transit.</u> In other instances, Seller shall not be responsible for more than the purchased price of stock.

Time for Bringing Action Any action for breach of this contract must be commenced within one (1) year after the cause of action has occurred.

APPLICABLE LAW This agreement shall be governed by the Uniform Commercial Code. Whenever the term "Uniform Commercial Code" is used, it shall be construed as meaning the Uniform Commercial Code as adopted in the State of Oregon as effective and in force on the date of the acceptance of these conditions.

CONFLICTING TERMS Seller is not bound by any terms on Buyer's order blanks which attempt to impose any conditions at variance with Seller's terms and conditions of sale which are included herein or stated on Seller's packages, invoices and technical data sheets. Seller's failure to object to provisions contained in the aforementioned forms shall not be deemed a waiver of the provisions of the Seller's terms and conditions which shall constitute the entire contract between the parties.

ORDERING, PACKING AND SHIPPING INFORMATION:

ORDERING INFORMATION

A 25% deposit and signed confirmation are required to secure all orders. Orders placed but not secured with a 25% deposit and signed confirmation by February 1st will automatically be cancelled. Orders placed after February 1st must be paid for in full within 10 days. Remaining balance due at time of pickup/shipment unless terms have been established. Accounts not paid within 30 days will be charged 2% monthly. All accepted orders not picked up or paid for in full by March 1st of the current harvest year, will be subject to a 25% cancellation fee and the seedlings will be released to other customers on the wait list. All credit card charges over a \$1,000.00 will be charged a 4% fee.

CONFIRMATION COMMITMENT

A customer's signature on a confirmation implies that the customer agrees with the order as stated and the terms listed on the confirmation. The deposit covers the costs associated with Order prep, Digging, Sorting, Bagging and Storing seedlings. If a cancellation is made after February 1st the deposit will be kept in order to cover the cost of the harvest process.

RATES

Mandatory minimum order of 100 per species.

Orders must be placed in multiples of 100 per species.

100-499 per species at 100 rate

500-1,000 per species at 1,000 rate

DIGGING DATES (Weather Permitting) WINTER DECEMBER 15 - MARCH 15

<u>DIGGING IS WEATHER DEPENDENT.</u> WE ONLY DIG SEEDLINGS WHEN THE CONDITIONS ARE FAVORABLE TO SEEDLING HEALTH. <u>SNOW OR TOO MUCH RAIN WILL HALT THE DIGGING PROCESS.</u>

ORDER PICKUP/SHIPMENT

Since digging dates are weather dependent, please call one week prior to your intended order pickup/shipment date. This will insure we have product available in cold storage ready for pickup or shipment. **Please remember that you must call us. We do not call customers when we have product ready. Shipments will not be shipped without verbal confirmation of the preferred shipment date.**

PACKING

Orders are packed for pickup f.o.b. our nursery. Orders to be shipped FedEx will be charged \$10.00 per package plus shipping charges. Orders shipped by pallet will be charged \$100.00 per pallet plus shipping charges.

STORAGE

We have cold storage facilities. Orders will be packed and placed in cold storage.

SHIPPING REGULATIONS

We follow all requirements and regulations set by the state or Oregon. Any other requirements or regulations within your specific state are the responsibility of the buyer to notify us prior to shipment.